# RMW704KR-SIDE



# 7-inch monitor kit + wireless side view camera



#### **Monitor specifications**

- 7" AHD IPS monitor
- Resolution: 1024\*600 Pixels
- Contrast: 500:1
- Power supply: DC12V-36V
- System: PAL/NTSC (AUTO)
- QUAD Vision and recording
- Wireless connection and recording of up to 4 rear view cameras
- Recording: Support SD 128GB (Speed > Class 10)
- Wi-Fi: Built-in 2.4G wireless
- Distance: ≤ 200m in open area

## Video camera specifications

- Power supply: DC12V-36V
- Sensor: 1/3"
- Resolution: 1280\*720 Pixels
- Viewing angle: 110°[H] 140°[D]
- Waterproof: IP68
- Night lighting: IR (infra red)
- Night vision distance: 5 meters

#### **Function**

Installation kit consisting of 7" AHD IPS monitor and Wifi video camera with wired connection compatible with DC power supply from 12V to 36V.

Possibility of recording via SD card support and connection of up to 4 video cameras model CAM704W or CAM704SW. Custom view in OUAD vision.

The Kit includes a Relay module to which it is possible to connect a blind spot detection system (Blind Spot) which automatically activates the vision of the video system when an alarm is detected.



# **Accessories for RMW704KR-SIDE**

# **CAM704SW**







# **Video camera specifications**

Power supply: DC12V-36V

Sensor: 1/3"

Resolution: 1280\*720 Pixels Viewing angle: 110°[H] 140°[D]

Waterproof: IP68

Night lighting: IR (infra red)

Night vision distance: 5 meters

Adjustable lens

# WiFi specifications

WiFi: Built-in 2.4G wireless

Distance: ≤ 200m in open area

#### **Function**

Camera model CAM704SW compatible with Kit RMW704KR. Connection with DC power supply from 12V to 36V.





# **Accessories for RMW704KR-SIDE**



# **CAM704W**



#### Video camera specifications

Power supply: DC12V-36V

Sensor: 1/3"

Resolution: 1280\*720 Pixels

Viewing angle: 110°[H] 140°[D]

Waterproof: IP68

Night lighting: IR (infra red)

Night vision distance: 5 meters

# WiFi specifications

WiFi: Built-in 2.4G wireless

Distance: ≤ 200m in open area

#### **Function**

Video camera model CAM704W compatible with Kit RMW704KR. Wired connection compatible with DC power supply from 12V to 36V.

# MACROM

# **Accessories for RMW704KR-SIDE**





## Module specifications

- Opt coupler relay module
- Power supply: DC12V
- Consumption 5mA
- NO contact (normally open)
- High-Low level trigger via jumper
- Power LED indicator (green)
- Switching LED indicator (red)

# Junction

Relay module to which it is possible to connect a blind spot detection system (Blind Spot) which automatically activates the vision of the video system when an alarm is detected.

Thanks to the Trigger (High-Low) it is possible to couple the relay module with all devices equipped with a positive or negative output.

# RMW704KR-SIDE Blind Spot Siren ( Siren External ( Siren