


Steering wheel control interface installation kit for:

# CITROEN / FIAT

**Model:** CITROEN: Jumper (with original VP2 Head unit) 2014 >  
FIAT: Ducato (with original VP2 Head unit) 2014 >


**Year:** 2014

**Kit Content:** Antenna adapter  
Radio adapter (\*) if included  
SWC CANBUS interface  
Wiring harness



## INSTALLATION MANUAL

## - WIRING:



### **ATTENTION!**

In order to prevent ESD damage, the WIRED REMOTE SOCKET must be connected before plugging in the connectors on vehicle side.

1) SWC CANBUS interface

### **Connect cables to the radio side as follow:**

2) To ISO connector (black and red housing)

3a) JACK DIN - To RADIO ANTENNA CONNECTOR (3) antenna adapter)

3) SWC - To WIRED REMOTE SOCKET (**NOTE:** Do not connect to microphone socket)

4) To SERVICES OUTPUT (if required); functions are marked on the wires:

5a) Violet / White- REVERSE - Connect to RADIO REVERSE SIGNAL INPUT

5b) Pink- SPEED - Connect to RADIO SPEED SIGNAL INPUT

5c) Green- PARKING BRAKE - Connect to RADIO PARKING BRAKE SIGNAL

### **Connect cables to the vehicle side as follow:**

5) To VEHICLE CONNECTORS

3b) MALE FAKRA- To VEHICLE ANTENNA CONNECTOR (3) antenna adapter)

## - STEERING WHEEL COMMAND CONFIGURATION:



The steering wheel command buttons perform the following functions (if supported by the radio and vehicle):

- 1) Mute
- 2) Voice
- 3) Volume up
- 4) Volume down
- 5) Accept incoming call
- 6) Reject incoming call
- 7) Seek up
- 8) Seek down

# FIAT DUCATO SETTINGS

## - HOW TO ACCESS THE SETTING MENUS:

In order to access the different setting menus, please perform all the following actions:

- Switch on the dashboard
- Pull the handbrake
- Push the brake pedal
- Leave the driver's door open

## - SETTING CONTROLS:



All the settings can be made using the steering commands.

## - Clock settings

Time/date can be set by entering year, month, day, hours, minutes in the mentioned sequence.

**PLEASE NOTE:** That the year information is displayed in both hour/minutes fields.



1) To access the clock setting, shortly press the MUTE button.



2) Use the Seek + and Seek - buttons to set the Year.



3) Press the MUTE button.



4) Use the Seek + and Seek - buttons to set the Month.



5) Press the MUTE button.



6) Use the Seek + and Seek - buttons to set the Day.



7) Press the MUTE button.



8) Use the Seek + and Seek - buttons to set the Hour.



8) Press the MUTE button.



8) Use the Seek + and Seek - buttons to set the Minute.



11) Press the MUTE button or release the brake pedal / close the driver's door.

## - Language settings

The system language can be set by choosing one of the following options:

- Dutch
- English
- French
- German
- Italian
- Spanish
- Polish
- Portuguese
- Turkish

In order to set the language, please perform the actions described above about “How to access the settings menus”, then press the “Vol +” button (\*) to scroll and choose the preferred language.



Release the brake pedal / close the driver's door.

## - Distance measuring-system settings

The distance measuring-system can be set by choosing between km/h and mph.

In order to set the distance measuring-system, please perform the actions described above about “How to access the settings menus”, then press the “Vol -” button (\*) to scroll and choose the preferred measurement system.



Remove brake pedal / close the driver's door.

## - Temperature measuring-system settings

The system temperature measuring-system can be set by choosing between C° or F.

In order to set the temperature measuring-system, please perform the actions described above about “How to access the settings menus” , then press the “Tell hangup” button (\*) to scroll and choose the preferred measurement system.

(\*)



Remove the brake pedal / close the driver's door.

**NOTE:** Others accessories settings such as: rear view camera, doors lock, headlights sensor, rain sensor and so on must be set before removing the O.E.M. head unit.

The pictures in the installation manual are for demonstration purposes only and are not binding for the installation of the product.

All installation work must be performed by a qualified professional installer only.  
The manufacturer / dealer is not liable for any kind of incidental or indirect damages.  
12/2021 ALL RIGHTS RESERVED. Technical changes possible. No liability for misprints.  
Rev.01 11/2024