



MACROM

TRAVELLING WILL ALWAYS BE A PLEASURE



Audio-Video and Security Systems

for CAMPERS, VANS, and RECREATIONAL VEHICLES

Audio-Video Systems



Multimedia monitor with navigation system and CarPlay & Android Auto

T1003DAB



SPECIFICATIONS

- 1 DIN chassis with B200E platform
- 8-core processor, 2.5 GHz CPU speed, 4/64 GB memory
- Android 13 operating system and app loading
- 10.1" capacitive QLED display (1920*1080 dpi resolution)
- Adjustable monitor (right/left +/- 30% Up-Down +/- 4cm)
- FM-RDS/AM tuner
- Integrated DAB+ with FM service and DAB antenna included
- Apple & Android wireless link
- 3 USB inputs
- Network hotspot and Wi-Fi
- Online navigation
- 360° surround view (optional)
- Bluetooth 5.0 hands-free with external microphone
- Bluetooth A2DP streaming
- Multilingual system
- RGB lighting
- Customizable user interface background
- Internal amplifier 4 x 45 watts
- DSP with 64-band EQ
- 2 pre-amplified outputs (front and rear)
- 1 pre-amplified subwoofer output
- 1 auxiliary A/V input
- 1 rear camera input (AHD and CVBS format)
- 1 front camera input (AHD and CVBS format)
- Integrated programmable resistive steering wheel control

T1003DAB.KITDUC8

Ducato 8/9 kit without standard radio



Kit contents:

Multimedia monitor, mask with mounting brackets, Plug & Play wiring with steering wheel control recovery, FM and DAB antenna adapter.



FA1003DUC8



347TLINEDUC8

347ADFSMA

347ADISODIN

T1003DAB.KITDUC2529

Ducato 250/290 kit without standard radio



Kit contents:

Multimedia monitor, mask with mounting brackets, Plug & Play wiring with steering wheel control recovery and FM antenna adapter.



FA1003DUC



347TLINEDUC

347ADISODIN


T1003DAB.KITFOTRA

Ford Transit kit from 2019 without standard radio or with basic radio



Contents of KIT03FOTRA:

Multimedia monitor, mounting brackets, Plug & Play wiring with steering wheel control recovery, ISO-Fakra adapter and USB recovery.



*Kit available for vehicles with standard 5" monitor.


*Kits available for vehicles with standard 5" monitor.

Audio-Video Systems



Multimedia monitor with navigation system and CarPlay & Android Auto

DL903DAB



Removable screen



ALSO COMPATIBLE WITH DUCATO x244 (2002-2006)

DL903DAB.KITDUC8

Ducato 8/9 kit without standard radio



Kit contents:

Multimedia monitor, mask with mounting brackets, Plug & Play wiring with steering wheel control recovery, FM and DAB antenna adapter.



FA1003DUC8



347ADFSMA

347ADISODIN

DL903DAB.KITDUC2529

Ducato 250/290 kit without standard radio



Kit contents:

Multimedia monitor, mask with mounting brackets, Plug & Play wiring with steering wheel control recovery, FM antenna adapter.



FA1003DUC



347ADISODIN

SPECIFICATIONS

- 1 DIN chassis
- 9" capacitive LED display
- Removable screen
- Adjustable monitor (Right/Left +/- 30% Up-Down +/- 2.5cm)
- FM-RDS/AM tuner
- Integrated DAB+ with antenna included
- Compatible with CarPlay & Android Auto
- Compatible with wireless phones
- Integrated GPS module (antenna included)
- 2 USB inputs (Type-A)
- Wi-Fi hotspot (for wireless connection with phones)
- Bluetooth 5.0 hands-free calling
- Bluetooth A2DP streaming
- External microphone
- Multilingual system
- RGB lighting
- Customizable user interface background
- Internal 4 x 45 Watt amplifier
- 10-band EQ equalizer with sound effects
- 2 x 4V pre-amplified outputs (front and rear)
- 2 x 4V pre-amplified subwoofer outputs
- 1 x auxiliary A/V input
- 1 x rear camera input (CVBS format)
- 1 x front camera input (CVBS format)
- Integrated programmable resistive steering wheel control


DL903DAB.KITFOTRA

Ford Transit kit from 2019 without standard radio or with basic radio



Contents of KIT03FOTRA:

Multimedia monitor, mounting brackets, Plug & Play wiring with steering wheel control recovery, ISO-Fakra adapter and USB recovery.



*Kit available for vehicles with standard 5" monitor.

*Kits available for vehicles with standard 5" monitor.

Audio-Video Systems



Multimedia monitor with navigation system and CarPlay & Android Auto

DL7000D25



SPECIFICATIONS

- 2 DIN chassis
- 6.8" capacitive LED display
- FM-RDS/AM tuner
- Integrated DAB+ with FM service and optional DAB antenna
- Compatible with CarPlay & Android Auto
- USB ports
 - Front for connecting CarPlay and Android Auto mobile devices.
 - Rear for playing music/video/image files
- Bluetooth 4.0 hands-free calling
- Bluetooth A2DP streaming
- External microphone
- Multilingual system
- Dual red/white lighting
- Internal 4 x 40 Watt amplifier
- 10-band EQ equalizer with sound effects
- 2 x 4V preamplified outputs (front and rear)
- 1 x 4V preamplified subwoofer output
- 1 auxiliary A/V input
- 1 rear camera input (CVBS format)
- Integrated programmable resistive steering wheel control

DL7000D25.KITDUC8

Ducato 8/9 kit without standard radio



Kit contents:

Multimedia monitor, mounting bracket, Plug & Play wiring with steering wheel control recovery, FM antenna adapter.



MASK7000DUC8



3477000DUC8



347ADISODIN

DL7000D25.KITDUC2529

Ducato 250/290 kit without standard radio




Kit contents:

Multimedia monitor, mounting bracket, Plug & Play wiring with steering wheel control recovery, FM antenna adapter, and DAB glass antenna.



MASK7000DUC



*Kits available for vehicles with standard 5" monitor.

*Kit available for vehicles with standard 5" monitor.

Rear view cameras

MRCM2299WAHQ



DC **12/24V**

Dual CAM with differentiated viewing angles: 140° for parking and 100° for rear view while driving.

SPECIFICATIONS

- AHD/CVBS compatible solution
- 1/3" NTSC/PAL color CMOS camera
- Infrared night vision
- IP68 water resistant
- Horizontal viewing angle
 - CAM 1 = 140°
 - CAM 2 = 100°
- Night sensitivity 0.1 Lux
- Resolution:
 - AHD 1920*1080P
 - CVBS 733*493P
- Parking guidelines (On/Off)
- Operating voltage 12/24 V DC
- Fast-Plug connection with Aviation + Adat terminals. RCA
- Video cable length 15 meters

360° rotatable camera, switchable between AHD/CVBS

RCM09WAHQ



DC **12/24V**

CAMERA with 150° video viewing angle for parking assistance

Also suitable for side installation.
Also available in black. (RCM09AHQ)

SPECIFICATIONS

- AHD/CVBS compatible solution
- 1/3" NTSC/PAL color CMOS camera
- Infrared night vision
- IP68 water resistant
- 150° horizontal viewing angle
- Night sensitivity 0.1 Lux
- Resolution:
 - AHD 1920*1080P
 - CVBS 733*493P
- Parking guidelines (On/Off)
- Operating voltage 12/24 V DC
- Fast-Plug connection with Aviation + adapt. terminals RCA
- Video cable length 15 meters
- Dimensions 70 x 54 mm

RCM08WAHQ



CAMERA with sun visor with 120° video viewing angle for parking assistance

DC **12/24V**

Also available in black. (RCM04AHQ)

Universal switchable AHD/CVBS camera

SPECIFICATIONS

- AHD/CVBS compatible solution
- 1/3" NTSC/PAL color CMOS camera
- Infrared night vision
- IP68 water resistant
- 120° horizontal viewing angle
- Night sensitivity 0.1 Lux
- Resolution:
 - AHD 1920*1080P
 - CVBS 733*493P
- Parking guidelines (On/Off)
- Operating voltage 12/24 V DC
- Fast-Plug connection with Aviation + Adapt. terminals RCA
- Video cable length 10 meters
- Dimensions 76 x 78 mm

MRC1999AHQ



VERTICALLY INSTALLED CAMERA with 150° video viewing angle for parking assistance

DC **12/V**

SPECIFICATIONS

- AHD/CVBS compatible solution
- 1/3" NTSC/PAL color CMOS camera
- IP68 water resistant
- 150° horizontal viewing angle
- Night sensitivity 0.1 Lux
- Resolution:
 - AHD 1920*1080P
 - CVBS 733*493P
- Parking guidelines (On/Off)
- Operating voltage 12 Volt DC
- Vertical installation
- Mounting with Ø 8 mm through bolt
- RCA video cable length 12 meters
- Dimensions 32 x 30 mm

Rearview Monitor



7-inch AHD monitor + Quad vision + recording

SM7004AR



SPECIFICATIONS

- 7" AHD IPS screen
- Resolution: 1024x600 pixels
- Contrast: 500:1
- Power supply: DC12V-24V
- System: PAL/NTSC (AUTO)
- QUAD-Vision and image recording
- Connection for 4 cameras with Aviation connector
- Recording: SD 128Gb support (Speed > Class 10)
Optional, not included in the package

Optional cameras:

- ✓ RCM09WAHQ
- ✓ MRC1999AHQ
- ✓ MRCM2299WAHQ
- ✓ CAM504

7-inch AHD monitor with standalone support

SM7001A



SPECIFICATIONS

- 7-inch AHD IPS monitor
- Resolution: 1024x600 pixels
- Contrast: 500:1
- Power supply: DC12V-24V
- System: PAL/NTSC (AUTO)
- Supported format: CVBS / 720P / 960P / 1080P HD 25/30fps
- 2 AHD video inputs with 4-pin aviation connector
 - Video 1 Auxiliary
 - Video 2 Rear camera
- Image rotation [0° / 180° / 270° / 360°]
- Parking guidelines (On / Off)
- Remote control included

Optional cameras:

- ✓ RCM09WAHQ
- ✓ RCM08WAHQ
- ✓ MRC1999AHQ
- ✓ MRCM2299WAHQ

7-inch AHD monitor with rearview mirror with Clip-On attachment

MM7002A



SPECIFICATIONS

- 7" AHD IPS monitor
- Resolution: 1024x600 pixels
- Contrast: 500:1
- Power supply: DC12V-24V
- System: PAL/NTSC (AUTO)
- Supported format: CVBS / 720P / 960P / 1080P HD 25/30fps
- 2 AHD video inputs with RCA connector
 - Video 1 Auxiliar
 - Video 2 Rear camera
- Parking guidelines (On/Off)
- Remote control included

Optional cameras:

- ✓ RCM09WAHQ
- ✓ RCM08WAHQ
- ✓ MRC1999AHQ
- ✓ MRCM2299WAHQ

Rearview Kit

7-inch wireless monitor kit and magnetic camera with integrated battery

KIT7WRB



BATTERY

- Automatic shut-off for battery conservation
- Charging time: 9 hours
- Operating time: 16 hours
- Installation: Via magnet wrapped in rubber casing

MONITOR

- 7" AHD IPS monitor screen
- Resolution: 1024*600 pixel
- Contrast: 600:1
- Power supply: DC 12V-24V
- System: PAL/NTSC (AUTO)
- QUAD-Vision and recording
- Wireless connection and recording of up to 4 rear cameras
- Recording: SD support (optional) (max 128Gb, Speed > Class 10, High Endurance type)
- Wi-Fi: Integrated 2.4G wireless
- Distance: ≤ 200m in open field

REAR CAMERA

- Sensor: 1/3" AHD
- Resolution: 1280*720 pixels
- Viewing angle: 110°[H] 140°[D]
- Waterproof: IP68
- Night lighting: IR (infrared)
- Night vision distance: 5 meters

Alternative optional cameras: CAMWB, CAMW

7-inch wireless monitor kit + camera

RMW704KR



Alternative optional cameras: CAM704W, CAM704SW

MONITOR

- 7" AHD IPS screen
- Resolution: 1024*600 pixels
- Contrast: 500:1
- Power supply: DC 12V-24V
- System: PAL/NTSC (AUTO)
- QUAD-Vision and recording
- Wireless connection and recording of up to 4 rear cameras
- Recording: SD support (optional) (max 128Gb, Speed > Class 10, High Endurance type)
- Wi-Fi: Integrated 2.4G wireless
- Distance: ≤ 200m in open field

REAR CAMERA

- Power supply: DC12V-24V
- Sensor: 1/3"
- Resolution: 1280*720 pixels
- Viewing angle: 110°[H] 140°[D]
- Waterproof rating: IP68
- Night vision: IR (infrared)
- Night vision distance: 5 meters

7-inch Quad Vision Blind Spot Cable Monitor Kit

KIT7504FULL



MONITOR


- 7-inch AHD IPS screen
- Resolution: 1024x600 pixels
- Contrast: 500:1
- Power supply: DC12V-24V
- System: PAL/NTSC (AUTO)
- QUAD-Vision and image recording
- Wired connection for up to 4 cameras
- Recording: 128Gb SD support (Speed → Class 10)
- Trigger for input channel activation

CAMERAS

- 1/3" AHD CMOS technology
- Infrared night vision
- IP68 water resistant
- Long-term operation
- Resolution 1280*720 pixels
- Power supply: DC12V-24V
- Aviation connection
- Video cable length 15 meters



DISCOVER THE COMPLETE MACROM RANGE



G.M.A. ITALIA s.r.l.

Via G. Di Vittorio, 7/33 - 20017 - Rho (MI) Italy
Tel 02.33406189 Fax 02.3085784

MACROM

www.macrom.it | info@gmaitalia.com